




IMPORTACIONES

GALIANO



3 Layer Protection



## CARACTERÍSTICAS

Conforme normativa europea 149:2001+A1:2009

Material: 95% Polipropileno 5% Poliéster

Bolsas de 10 unid.

Pedido mínimo 100 unid.

- 0.51 € / ud
- 0.48 € / ud (con 5% descuento para el taller)

Plazo de entrega:

9 días por transporte aéreo incluido


## MASCARILLA FFP2

---



### Four-layer filtration

Blocking harmful substances in the air



### CARACTERÍSTICAS

Conforme normativa europea 149:2001+A1:2009

Protección FFP2 / KN95

Material: 95% Polipropileno 5% Poliéster

Presentación en bolsas de 10 unid.

Pedido mínimo 100 unid.

- 2.75 € / ud
- 2.60 € / ud (con 5% descuento para el taller)

Plazo de entrega:

12 días por transporte aéreo incluido

## GUANTES POLIETILENO ALTA DENSIDAD

---



### CARACTERÍSTICAS

Material: 100% HDPE

Medidas: 27x27.5 cm.

Presentación en packs de 100 uds.

Pedido mínimo 10 packs (1.000 guantes)

- Pack de 100 unidades: 1.59 €/ 100 guantes
- Pack de 100 unidades: 1.50 €/ 100 guantes (con 5% descuento para el taller)

Plazo de entrega:

30 días por transporte aéreo incluido



### CARACTERÍSTICAS

Material: NITRILO

Medidas: M - L

Presentación en packs de cartón con 100 uds.

- 100 guantes: 21,80 €
- 100 guantes: 20.50 € (con 5% descuento para el taller)

Plazo de entrega:

35 días por transporte aéreo incluido



## CARACTERÍSTICAS

Según Normativa Europea CE/FDA ,EN1731

Material: PET Polietileno Reciclado

Medidas: 33 X 22 cm

Peso: 40 gr.

En bolsas individuales y cajas de cartón con 50 uds.

- 2.75 €/unid.
- 2.60 €/unid. (con 5% descuento para el taller)

Plazo de entrega:

20 días por transporte aéreo incluido



## CARACTERÍSTICAS

Según Normativa Europea CE Test Report EN 166 Lentes Antiniebla

Material: PC Policarbonato. Peso: 80 gr.

Medidas: 75 mm X 155 mm X 65 mm

Cajas de 50 unid.

Presentación en bolsas individuales.

- 4.80 €/unid
- 4.50 €/unid. (con 5% descuento para el taller)

Plazo de entrega:

20 días por transporte aéreo incluido





## CARACTERÍSTICAS

Según Normativa Europea T5/6CE

Material: PP + PE Material Bilaminado

Tallas : S/M y L/XL

Cajas de 50 unidades.

Presentación en bolsas individuales.

- 20,75 €
- 19.70 € (con 5% descuento para el taller)

Plazo de entrega:

25 días por transporte aéreo incluido





|              |   |
|--------------|---|
| Name         | Infrared Thermometer                                      |
| Model        | GLFT-11   |
| Test mode    | NON-Contactless   |
| Distance     | 3-15cm  |
| Extent       | 32-42.5°C(89.6-108.5°F)                                   |
| Unit         | °C / °F   |
| Power Supply | Two AA batteries  |
| Error range  | Within 35-42°C ±0.2°C<br>Outside the range 35-42°C ±0.3°C |
| Auto sleep   | 15 s  |
| Weight       | 142g  |
| Size         | 170*95*45mm   |

## CARACTERÍSTICAS

Según Normativa Europea CE / FCC  
Caja individual personalizada

- 1 unid.: 50,85 €
- 1 unid.: 48 € (con 5% descuento para el taller)

Plazo de entrega:

20 días por transporte aéreo incluido

Infrared Thermometer

NON-Contactless



| QUOTATION                |                           |
|--------------------------|---------------------------|
| PRODUCT DETAILS          |                           |
| Item Name :              | Portable Ozone Generator  |
| Model No. :              | HBC-TB                    |
| H.S code:                | 8543709990                |
| Certifications :         | ISO Certificate           |
| Material :               | Steel plate               |
| Color :                  | As show in the picture    |
| Voltage :                | 110-240V ( Customizable ) |
| Ozone output (g/h):      | 5 g/h                     |
| Power(W):                | 100                       |
| Air Volume (m3/h) :      | 80-100 m <sup>3</sup> /h  |
| Disinfection Space :     | 50 m <sup>3</sup>         |
| Qty/Ctn :                | 1                         |
| G.W./N.W :               | 4 / 3.5                   |
| Machine size (mm) :      | 185*275*150               |
| Carton size (mm) :       | 370*230*230               |
| MOQ :                    | 100                       |
| 1x20' :                  | 1290 Sets                 |
| EXW Price /Unit ( USD) : | 247 €                     |
| Warranty :               | 1 year                    |

| PRODUCT PICTURE   |   |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
|---|---|-------------------------|---------|----------|----------|----------|----------|----------|----------|----|------|------|------|------|------|------|------|----|------|------|------|------|------|------|------|----|------|------|------|------|------|------|------|----|------|------|------|------|------|------|------|----|------|------|------|------|------|------|------|----|------|------|------|------|------|------|------|----|------|------|------|------|------|------|------|----|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|
| <p style="text-align: center;">Portable Ozone Generator</p> <p style="text-align: center;">ISO CE E S</p>   |   |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| <p><b>Disinfection Time Testing</b></p> <table border="1"> <thead> <tr> <th>Disinfection Time (min)</th> <th>HBC-153</th> <th>HBC-TB</th> <th>HBC-187</th> <th>HBC-TB10</th> <th>HBC-TB15</th> <th>HBC-TB20</th> <th>HBC-TB30</th> </tr> </thead> <tbody> <tr> <td>20</td> <td>4000</td> <td>4500</td> <td>5000</td> <td>5500</td> <td>6000</td> <td>6500</td> <td>7000</td> </tr> <tr> <td>30</td> <td>4000</td> <td>4500</td> <td>5000</td> <td>5500</td> <td>6000</td> <td>6500</td> <td>7000</td> </tr> <tr> <td>40</td> <td>4000</td> <td>4500</td> <td>5000</td> <td>5500</td> <td>6000</td> <td>6500</td> <td>7000</td> </tr> <tr> <td>50</td> <td>4000</td> <td>4500</td> <td>5000</td> <td>5500</td> <td>6000</td> <td>6500</td> <td>7000</td> </tr> <tr> <td>60</td> <td>4000</td> <td>4500</td> <td>5000</td> <td>5500</td> <td>6000</td> <td>6500</td> <td>7000</td> </tr> <tr> <td>70</td> <td>4000</td> <td>4500</td> <td>5000</td> <td>5500</td> <td>6000</td> <td>6500</td> <td>7000</td> </tr> <tr> <td>80</td> <td>4000</td> <td>4500</td> <td>5000</td> <td>5500</td> <td>6000</td> <td>6500</td> <td>7000</td> </tr> <tr> <td>90</td> <td>4000</td> <td>4500</td> <td>5000</td> <td>5500</td> <td>6000</td> <td>6500</td> <td>7000</td> </tr> <tr> <td>100</td> <td>4000</td> <td>4500</td> <td>5000</td> <td>5500</td> <td>6000</td> <td>6500</td> <td>7000</td> </tr> </tbody> </table> |   | Disinfection Time (min) | HBC-153 | HBC-TB   | HBC-187  | HBC-TB10 | HBC-TB15 | HBC-TB20 | HBC-TB30 | 20 | 4000 | 4500 | 5000 | 5500 | 6000 | 6500 | 7000 | 30 | 4000 | 4500 | 5000 | 5500 | 6000 | 6500 | 7000 | 40 | 4000 | 4500 | 5000 | 5500 | 6000 | 6500 | 7000 | 50 | 4000 | 4500 | 5000 | 5500 | 6000 | 6500 | 7000 | 60 | 4000 | 4500 | 5000 | 5500 | 6000 | 6500 | 7000 | 70 | 4000 | 4500 | 5000 | 5500 | 6000 | 6500 | 7000 | 80 | 4000 | 4500 | 5000 | 5500 | 6000 | 6500 | 7000 | 90 | 4000 | 4500 | 5000 | 5500 | 6000 | 6500 | 7000 | 100 | 4000 | 4500 | 5000 | 5500 | 6000 | 6500 | 7000 |
| Disinfection Time (min)   | HBC-153   | HBC-TB                  | HBC-187 | HBC-TB10 | HBC-TB15 | HBC-TB20 | HBC-TB30 |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| 20  | 4000  | 4500                    | 5000    | 5500     | 6000     | 6500     | 7000     |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| 30  | 4000  | 4500                    | 5000    | 5500     | 6000     | 6500     | 7000     |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| 40  | 4000  | 4500                    | 5000    | 5500     | 6000     | 6500     | 7000     |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| 50  | 4000  | 4500                    | 5000    | 5500     | 6000     | 6500     | 7000     |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| 60  | 4000  | 4500                    | 5000    | 5500     | 6000     | 6500     | 7000     |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| 70  | 4000  | 4500                    | 5000    | 5500     | 6000     | 6500     | 7000     |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| 80  | 4000  | 4500                    | 5000    | 5500     | 6000     | 6500     | 7000     |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| 90  | 4000  | 4500                    | 5000    | 5500     | 6000     | 6500     | 7000     |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| 100   | 4000  | 4500                    | 5000    | 5500     | 6000     | 6500     | 7000     |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| Remarks/ Specifications   | <ol style="list-style-type: none"> <li>Ozone generating part material : Ceramic plate</li> <li>Ozone generating way Corona discharge</li> <li>Gas source : Air</li> <li>Cooling method : Air cooling , built-in a fan</li> <li>Timer : 0-120min timers or working continuously</li> </ol> |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| Deliverytime :  | Within 7 workdays after payment for sample  |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| FOB Port :  | Shanghai  |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| Payment Terms :   | 100% T/T ( More than 100 sets. 30% in advance as deposits and 70% balance payment before shipping)  |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| <b>FACTORY DETAILS :</b>  |   |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| Company Name :  |   |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| Company Address :   |   |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| Tel :   | Fax :   |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| Mobile :  | Contact :   |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |
| E-mail :  | Website :   |                         |         |          |          |          |          |          |          |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |    |      |      |      |      |      |      |      |     |      |      |      |      |      |      |      |

## CARACTERÍSTICAS

Según Normativa Europea CE / FCC / ISO  
Caja individual personalizada

- 1 unid.: 318 €
- 1 unid.: 300 €. (con 5% descuento para el taller)

Plazo de entrega:

20 días por transporte aéreo incluido

| QUOTATION                  |   |            |          |                 |
|----------------------------|---|------------|----------|-----------------|
| PRODUCT DETAILS            |   |            |          |                 |
| Item Name :                | Portable Ozone Generator  |            |          |                 |
| Model No. :                | HBC-TB  |            |          |                 |
| H.S code:                  | 8543709990  |            |          |                 |
| Certifications :           | ISO Certificate   |            |          |                 |
| Material :                 | Steel plate   |            |          |                 |
| Color :                    | As show in the picture  |            |          |                 |
| Voltage :                  | 110-240V ( Customizable )   |            |          |                 |
| Ozone output (g/h):        | 10 g/h  |            |          |                 |
| Power(W):                  | 150   |            |          |                 |
| Air Volume (m3/h) :        | 80-100 m <sup>3</sup> /h  |            |          |                 |
| Disinfection Space :       | 100 m <sup>3</sup>  |            |          |                 |
| Qty/Ctn :                  | 1   |            |          |                 |
| G.W./N.W :                 | 4 / 3.5   |            |          |                 |
| Machine size (mm) :        | 185*275*150   |            |          |                 |
| Carton size (mm) :         | 370*230*230   |            |          |                 |
| MOQ :                      | 100   |            |          |                 |
| 1x20' :                    | 1250 Sets   |            |          |                 |
| EXW Price(USD) :           | 270 €   |            |          |                 |
| Warranty :                 | 1 year  |            |          |                 |
| Remarks/<br>Specifications | 1. Ozone generating part material : Ceramic plate<br>2. Ozone generating way :Corona discharge<br>3. Gas source : Air<br>4. Cooling method : Air cooling , built-in a fan<br>5. Timer : 0-120min timers or working continuously |            |          |                 |
|                            | <table border="1"> <tr> <td>FOB Port :</td> <td>Shanghai</td> </tr> <tr> <td>Payment Terms :</td> <td>100% T/T ( More than 100 sets, 30% in advance as deposits and 70% balance payment before shipping)</td> </tr> </table>    | FOB Port : | Shanghai | Payment Terms : |
| FOB Port :                 | Shanghai  |            |          |                 |
| Payment Terms :            | 100% T/T ( More than 100 sets, 30% in advance as deposits and 70% balance payment before shipping)  |            |          |                 |
| FACTORY DETAILS :          |   |            |          |                 |
| Company Name :             |   |            |          |                 |
| Company Address :          |   |            |          |                 |
| Tel :                      | Fax :   |            |          |                 |
| Mobile :                   | Contact :   |            |          |                 |
| E-mail :                   | Website:  |            |          |                 |



## CARACTERÍSTICAS

Según Normativa Europea CE / FCC  
Caja individual personalizada

- 1 unid.: 385 €.
- 1 unid.: 365 €. (con 5% descuento para el taller)

Plazo de entrega:

25 días por transporte aéreo incluido

**CERTIFICATE** ◆ **CERTIFICATE** ◆ **CERTIFICATE** ◆ **CERTIFICATE**



### CERTIFICATE OF CONFORMITY

**EU - Personal protective equipment (PPE)-**  
No. CIC206310641-ZJ-ZS

**Applicant:** Shenzhen CIC Technology Co., Ltd.  
**Address:** No.18-133 cending road, longgang city, zhejiang province  
**Manufacturer:** Shenzhen CIC Technology Co., Ltd.  
**Address:** No.18-133 cending road, longgang city, zhejiang province  
**Product:** Disposable Civilian Mask  
**Trade Name:**  
**Model(s):** N/A  
**Test Report No.:** CIC202310641-ZJ  
**Test Standards:** EN 149:2001+A1:2009

The tests that base on the above design product conform with the essential requirements of Regulation 2017/745.  
 The test result only based on the standard used to the specific tests carried out.  
 Specific information reference number only.  
 The information on the product after preparation of the product should be observed.  
 Other relevant information should be observed.



Hale Zhao (Chief engineer)  
March 12, 2020

**Shenzhen CIC Testing Technology Co., Ltd.**  
 Add: No.152, Floor 1, Building A, No.25 of Xinhai Road, Shiqiao Community, Xinqiao Street, Baoan District, Shenzhen, Guangdong, China  
 Web: <http://www.sungoglobal.com> Tel: +86-755-23226227 Fax: +86-0755-23226227



### EC Certificate

Directive 93/42/EEC Annex V  
Production Quality Assurance  
Medical Devices

**Registration No.:** DD 60133273 0001  
**Report No.:** 15085900 005

**Manufacturer:** [Redacted] Road, China

**Products:** Aspects of manufacture concerned with securing and maintaining sterile conditions of Face Masks, Surgical Goggles, Non-woven Caps, Non-woven Shoe Covers, Plastic Shoe Covers, Coveralls  
 Replaces Approval, Registration No.: DD 60164282 0001

**Expiry Date:** 2023-12-05

The Notified Body hereby declares that the requirements of Annex V of the directive 93/42/EEC have been met for the listed products. The above named manufacturer has established and applies a quality assurance system, which is subject to periodic surveillance, defined by Annex V, section 4 of the aforementioned directive. For placing on the market of class IIb and class III devices covered by this certificate an EC type-examination certificate according to Annex III is required.

**Effective Date:** 2018-12-06  
**Date:** 2018-12-06



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**  
 TÜV Rheinland LGA Products GmbH is a Notified Body according to Directive 93/42/EEC concerning medical device with the identification number 0197.



### Verification of Conformity

**Applicant:** [Redacted]  
**Address:** [Redacted]  
**Product(s):** Short Pants, CPE Gown, Bed Sheet, Surgical Gown, Lab Coat, Coverall, Isolation Gown, Cap, Face Mask, Shoe/Boot Cover, Overalls, Apron, Beard Cover, Visitor Gown  
**Type(s):** see ANNEX  
**Product Classification:** Class I

The submitted technical files including test report of the above products have been reviewed against the self declaration requirements of conformity for CE marking according to Medical Device Directive (93/42/EEC).

Standards used for showing compliance with the essential requirements to the specific directive(s):  
 Standard(s): EN ISO 14971:2012, EN ISO 13223-1:2016, EN ISO 10993-1:2010, EN ISO 10993-5:2009, EN ISO 10993-10:2010

The review result of the technical files and test report support the self declaration for the devices listed above. Where the manufacturer affixes the CE marking to the product listed they must ensure that all the requirements of the appropriate EU directive(s) have and continue to be met.

**SUNGO Cert GmbH**





**SUNGO CHINA OFFICE** Tel: 021-68828062 Email: [info@sungoglobal.com](mailto:info@sungoglobal.com) Website: [www.sungoglobal.com](http://www.sungoglobal.com)  
 Add: 12<sup>th</sup> Floor, No.1500 Century Avenue, Shanghai 200122, P.R.China





## Disposable Face Mask 3-PLY with Ear Loops

Special Offer for MIER Customer - Buy 2 Box Get 10 Pcs Free  
Considering the increased risk of the spreading Coronavirus,  
MIER urgently sourced a batch of disposable face masks for  
our customers only. 10 more pcs free for returning customers!  
Hurry while stocks last.




Contents: **50** PCS masks



## Disposable Face Mask 3-PLY with Ear Loops

Metallic strip molds to the bridge of the nose



- 3-layer construction.
  - Soft, breathable non-woven fabric.
  - Melt-blown fabric filter in the middle.
  - Anti-dust, anti-droplets.
  - Suitable for sensitive skin.
  - Elastic ear loops for extra comfort.
  - 175 mm x 95 mm for adults.
  - Discard mask after use, DO NOT reuse masks.
- This mask is not a respirator. This product is intended for general purpose infection control.

Contents: **50** PCS masks



C/ Clara Campoamor, Nº6  
22520 Fraga (Huesca)  
974 471 665  
[galiano@galiano.es](mailto:galiano@galiano.es)